

Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

ANALYTICAL RESULTS

Prepared by:

Prepared for:

Eurofins Lancaster Laboratories Environmental 2425 New Holland Pike Lancaster, PA 17601 EA Engineering 405 State Highway 121 Bypass Building C, Suite 100 Lewisville TX 75067-8192

Report Date: June 09, 2017

Project: Wilcox Oil Company Superfund Site

Submittal Date: 05/31/2017 Group Number: 1807464 SDG: WLC10 PO Number: 15838 State of Sample Origin: OK

> Lancaster Labs (<u>LL) #</u> 9021494

<u>Client Sample Description</u> ETF-WC-01 Soil

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

Regulatory agencies do not accredit laboratories for all methods, analytes, and matrices. Our current scopes of accreditation can be viewed at http://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/resources/certifications/. To request copies of prior scopes of accreditation, contact your project manager.

Electronic Copy To EA Engineering

Attn: Pamela Moss

Respectfully Submitted,

Angela M. Miller

Angela M. Miller

Specialist

(717) 556-7260



Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: ETF-WC-01 Soil LL Sample # SW 9021494

LL Group # 1807464

Project Name: Wilcox Oil Company Superfund Site Account # 30056

Collected: 04/25/2017 14:35 by JS EA Engineering

405 State Highway 121 Bypass

 Submitted:
 05/31/2017 17:00
 Building C, Suite 100

 Reported:
 06/09/2017 10:15
 Lewisville TX 75067-8192

ETFW1 SDG#: WLC10-01

CAT	Analysis Name	CAS Number	Dry		Dry Method Detection Limit*	Dry Limit of Ouantitation	Dilution
No.	Analysis Name	CAS NUMBEL	Result		200000111 =====0	2 4411010401011	Factor
GC/MS	Volatiles SW-84	6 8260B	ug/kg		ug/kg	ug/kg	
10237	Acetone	67-64-1	N.D.		1,200	3,400	100.81
10237	Benzene	71-43-2	N.D.		86	860	100.81
10237	Bromodichloromethane	75-27-4	N.D.		170	860	100.81
10237	Bromoform	75-25-2	N.D.		170	860	100.81
10237	Bromomethane	74-83-9	N.D.		340	860	100.81
10237	2-Butanone	78-93-3	N.D.		690	1,700	100.81
10237	Carbon Disulfide	75-15-0	N.D.		170	860	100.81
10237	Carbon Tetrachloride	56-23-5	N.D.		170	860	100.81
10237	Chlorobenzene	108-90-7	N.D.		170	860	100.81
10237	Chloroethane	75-00-3	N.D.		340	860	100.81
10237	Chloroform	67-66-3	N.D.		170	860	100.81
10237	Chloromethane	74-87-3	N.D.		340	860	100.81
10237	Dibromochloromethane	124-48-1	N.D.		170	860	100.81
10237	1,1-Dichloroethane	75-34-3	N.D.		170	860	100.81
10237	1,2-Dichloroethane	107-06-2	N.D.		170	860	100.81
10237	1,1-Dichloroethene	75-35-4	N.D.		170	860	100.81
10237	cis-1,2-Dichloroethene	156-59-2	N.D.		170	860	100.81
10237	trans-1,2-Dichloroethene	156-60-5	N.D.		170	860	100.81
10237	1,2-Dichloropropane	78-87-5	N.D.		170	860	100.81
10237	cis-1,3-Dichloropropene	10061-01-5	N.D.		170	860	100.81
10237	trans-1,3-Dichloropropene	10061-02-6	N.D.		170	860	100.81
10237	Ethylbenzene	100-41-4	N.D.		170	860	100.81
10237	2-Hexanone	591-78-6	N.D.		520	1,700	100.81
10237	4-Methyl-2-pentanone	108-10-1	N.D.		520	1,700	100.81
10237	Methylene Chloride	75-09-2	N.D.		340	860	100.81
10237	Styrene	100-42-5	N.D.		170	860	100.81
10237	1,1,2,2-Tetrachloroethane	79-34-5	N.D.		170	860	100.81
10237	Tetrachloroethene	127-18-4	N.D.		170	860	100.81
10237	Toluene	108-88-3	180	J	170	860	100.81
10237	1,1,1-Trichloroethane	71-55-6	N.D.		170	860	100.81
10237	1,1,2-Trichloroethane	79-00-5	N.D.		170	860	100.81
10237	Trichloroethene	79-01-6	N.D.		170	860	100.81
10237	Vinyl Chloride	75-01-4	N.D.		170	860	100.81
10237	Xylene (Total)	1330-20-7	N.D.		170	860	100.81

Preservation requirements were not met. Due to the preservative not covering the soil or the matrix of the sample, methanol was added at the laboratory after the net weight was determined.

Reporting limits were raised due to interference from the sample matrix.

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the TNI/DoD Standards. The following analytes are accepted based on this allowance: carbon tetrachloride, dibromochloromethane, and bromoform.

GC/MS	Semivolatiles	SW-846 8270D	ug/kg	ug/kg	ug/kg	
10726	Acenaphthene	83-32-9	N.D.	1,600	8,000	5
10726	Acenaphthylene	208-96-8	N.D.	1,600	8,000	5
10726	Anthracene	120-12-7	N.D.	1,600	8,000	5
10726	Benzo(a)anthracene	56-55-3	N.D.	1,600	8,000	5
10726	Benzo(a)pyrene	50-32-8	N.D.	1,600	8,000	5

^{*=}This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: ETF-WC-01 Soil LL Sample # SW 9021494

Project Name: Wilcox Oil Company Superfund Site LL Group # 1807464
Account # 30056

Collected: 04/25/2017 14:35 by JS EA Engineering

405 State Highway 121 Bypass

 Submitted:
 05/31/2017 17:00
 Building C, Suite 100

 Reported:
 06/09/2017 10:15
 Lewisville TX 75067-8192

ETFW1 SDG#: WLC10-01

CAT			Dry		Dry Method	Dry Limit of	Dilution
No.	Analysis Name	CAS Number	Result		Detection Limit*	Quantitation	Factor
GC/MS	Semivolatiles SW-846 82	70D	ug/kg		ug/kg	ug/kg	
10726	Benzo(b)fluoranthene	205-99-2	N.D.		1,600	8,000	5
10726	Benzo(g,h,i)perylene	191-24-2	N.D.		1,600	8,000	5
10726	Benzo(k)fluoranthene	207-08-9	N.D.		1,600	8,000	5
10726	4-Bromophenyl-phenylether	101-55-3	N.D.		7,900	16,000	5
10726	Butylbenzylphthalate	85-68-7	N.D.		32,000	79,000	5
10726	Di-n-butylphthalate	84-74-2	N.D.		32,000	79,000	5
10726	Carbazole	86-74-8	N.D.		7,900	16,000	5
10726	4-Chloro-3-methylphenol	59-50-7	N.D.		7,900	16,000	5
10726	4-Chloroaniline	106-47-8	N.D.		16,000	32,000	5
10726	bis(2-Chloroethoxy)methane	111-91-1	N.D.		7,900	16,000	5
10726	bis(2-Chloroethyl)ether	111-44-4	N.D.		7,900	16,000	5
10726	2-Chloronaphthalene	91-58-7	N.D.		3,200	16,000	5
10726	2-Chlorophenol	95-57-8	N.D.		7,900	16,000	5
10726	4-Chlorophenyl-phenylether	7005-72-3	N.D.		7,900	16,000	5
10726	2,2'-oxybis(1-Chloropropane)	108-60-1	N.D.		7,900	16,000	5
	Bis(2-chloroisopropyl) ether CA	S #39638-32-9 a	.nd				
	2,2'-Oxybis(1-chloropropane) CA	S #108-60-1 can	not be sepa	rated.			
	chromatographically. The reportotal of both compounds.	ted result repr	esents the	combined			
10726	Chrysene	218-01-9	19,000		1,600	8,000	5
10726	Dibenz(a,h)anthracene	53-70-3	N.D.		1,600	8,000	5
10726	Dibenzofuran	132-64-9	N.D.		7,900	16,000	5
10726	1,2-Dichlorobenzene	95-50-1	N.D.		7,900	16,000	5
10726	1,3-Dichlorobenzene	541-73-1	N.D.		7,900	16,000	5
10726	1,4-Dichlorobenzene	106-46-7	N.D.		7,900	16,000	5
10726	3,3'-Dichlorobenzidine	91-94-1	N.D.		47,000	160,000	5
10726	2,4-Dichlorophenol	120-83-2	N.D.		7,900	16,000	5
10726	Diethylphthalate	84-66-2	N.D.		32,000	79,000	5
10726	2,4-Dimethylphenol	105-67-9	N.D.		7,900	16,000	5
10726	Dimethylphthalate	131-11-3	N.D.		32,000	79,000	5
10726	4,6-Dinitro-2-methylphenol	534-52-1	N.D.		79,000	240,000	5
10726	2,4-Dinitrophenol	51-28-5	N.D.		140,000	470,000	5
10726	2,4-Dinitrotoluene	121-14-2	N.D.		32,000	79,000	5
10726	2,6-Dinitrotoluene	606-20-2	N.D.		7,900	16,000	5
10726	bis(2-Ethylhexyl)phthalate	117-81-7	N.D.		32,000	80,000	5
10726	Fluoranthene	206-44-0	N.D.		1,600	8,000	5
10726	Fluorene	86-73-7	5,500	J	1,600	8,000	5
10726	Hexachlorobenzene	118-74-1	N.D.		1,600	8,000	5
10726	Hexachlorobutadiene	87-68-3	N.D.		7,900	16,000	5
10726	Hexachlorocyclopentadiene	77-47-4	N.D.		79,000	240,000	5
10726	Hexachloroethane	67-72-1	N.D.		16,000	79,000	5
10726	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.		1,600	8,000	5
10726	Isophorone	78-59-1	N.D.		7,900	16,000	5
10726	2-Methylnaphthalene	91-57-6	8,400		1,600	8,000	5
10726	2-Methylphenol	95-48-7	N.D.		7,900	16,000	5
10726	4-Methylphenol	106-44-5	N.D.		7,900	16,000	5
	3-Methylphenol and 4-methylphen						
	chromatographic conditions used for 4-methylphenol represents to				orted		
10726	Naphthalene	91-20-3	N.D.		1,600	8,000	5
10726	2-Nitroaniline	88-74-4	N.D.		7,900	16,000	5
					,	.,	-

^{*=}This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: ETF-WC-01 Soil LL Sample # SW 9021494

> LL Group # 1807464 Account # 30056

Project Name: Wilcox Oil Company Superfund Site

EA Engineering

405 State Highway 121 Bypass

Building C, Suite 100 Lewisville TX 75067-8192

Collected: 04/25/2017 14:35 by JS

ETFW1 SDG#: WLC10-01

Submitted: 05/31/2017 17:00

Reported: 06/09/2017 10:15

CAT No.	Analysis Name	CAS Number	Dry Result		Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor			
GC/MS	Semivolatiles SW-846 8	270D	ug/kg		ug/kg	ug/kg				
10726	3-Nitroaniline	99-09-2	N.D.		32,000	79,000	5			
10726	4-Nitroaniline	100-01-6	N.D.		32,000	79,000	5			
10726	Nitrobenzene	98-95-3	N.D.		7,900	16,000	5			
10726	2-Nitrophenol	88-75-5	N.D.		7,900	16,000	5			
10726	4-Nitrophenol	100-02-7	N.D.		79,000	240,000	5			
10726	N-Nitroso-di-n-propylamine	621-64-7	N.D.		7,900	16,000	5			
10726	N-Nitrosodiphenylamine	86-30-6	N.D.		7,900	16,000	5			
	N-nitrosodiphenylamine decomposes in the GC inlet forming diphenylamine. The result reported for N-nitrosodiphenylamine represents the combined total of both compounds.									
10726	Di-n-octylphthalate	117-84-0	N.D.		32,000	79,000	5			
10726	Pentachlorophenol	87-86-5	N.D.		16,000	80,000	5			
10726	Phenanthrene	85-01-8	7,400	J	1,600	8,000	5			
10726	Phenol	108-95-2	N.D.		7,900	16,000	5			
10726	Pyrene	129-00-0	8,400		1,600	8,000	5			
10726	1,2,4-Trichlorobenzene	120-82-1	N.D.		7,900	16,000	5			
10726	2,4,5-Trichlorophenol	95-95-4	N.D.		7,900	16,000	5			
10726	2,4,6-Trichlorophenol	88-06-2	N.D.		7,900	16,000	5			
The :	LCS and/or LCSD recoveries are o	outside the stat	ed QC windo	ow but wit	nin					
the 1	marginal exceedance allowance of	f +/- 4 standard	deviations	s as defin	ed in					
the '	TNI/DoD Standards. The followir	ng analytes are	accepted ba	ased on th	is					

allowance: Pentachlorophenol

Reporting limits were raised due to interference from the sample matrix.

The holding time was not met. The analysis was added after the holding time had already expired.

Metals	S	SW-846	6010C	mg/kg	mg/kg	mg/kg	
06935	Arsenic		7440-38-2	N.D.	1.48	6.08	1
06946	Barium		7440-39-3	20.3	0.0502	1.52	1
06949	Cadmium		7440-43-9	0.141 J	0.0745	1.52	1
06951	Chromium		7440-47-3	0.876 Ј	0.213	4.56	1
06955	Lead		7439-92-1	15.8	0.837	4.56	1
06936	Selenium		7782-49-2	N.D.	1.37	6.08	1
06966	Silver		7440-22-4	N.D.	0.228	1.52	1
		SW-846	7471B	mg/kg	mg/kg	mg/kg	
00159	Mercury		7439-97-6	0.0443 J	0.0157	0.157	1
Wet Cl	hemistry	SM 254	0 G-1997	%	%	8	
00111	Moisture		n.a.	41.3	0.50	0.50	1

Moisture represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported is on an as-received basis.

^{*=}This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: ETF-WC-01 Soil LL Sample # SW 9021494

LL Group # 1807464 Account # 30056

Project Name: Wilcox Oil Company Superfund Site

Collected: 04/25/2017 14:35 by JS EA Engineering

405 State Highway 121 Bypass

Building C, Suite 100

Reported: 06/09/2017 10:15 Lewisville TX 75067-8192

ETFW1 SDG#: WLC10-01

Submitted: 05/31/2017 17:00

Sample Comments

This sample was originally submitted to the laboratory on 04/26/17 at 09:40. We received authorization for further testing on 05/31/17.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT	Analysis Name	Method	Trial#	Batch#	Analysis Date and Tir	me.	Analyst	Dilution Factor
10237	VOCs- Solid by 8260B	SW-846 8260B	1	Q171571AA		17:06	Angela D Sneeringer	100.81
10445	High Level Bulk Prep DP 21	SW-846 5035A Modified	1	201715245628	06/01/2017	14:22	Anastasia Jaynes	n.a.
10445	High Level Bulk Prep DP 21	SW-846 5035A Modified	2	201715245628	06/01/2017	14:24	Anastasia Jaynes	n.a.
10726	SVOA 8270D (microwave)	SW-846 8270D	1	17153SLB026	06/06/2017	16:31	Joseph M Gambler	5
10813	BNA Soil Microwave APP IX	SW-846 3546	1	17153SLB026	06/03/2017	07:00	Michelle A Newswanger	1
06935	Arsenic	SW-846 6010C	1	171531063705	06/05/2017	18:09	Cindy M Gehman	1
06946	Barium	SW-846 6010C	1	171531063705	06/05/2017	18:09	Cindy M Gehman	1
06949	Cadmium	SW-846 6010C	1	171531063705	06/05/2017	18:09	Cindy M Gehman	1
06951	Chromium	SW-846 6010C	1	171531063705	06/05/2017	18:09	Cindy M Gehman	1
06955	Lead	SW-846 6010C	1	171531063705	06/05/2017	18:09	Cindy M Gehman	1
06936	Selenium	SW-846 6010C	1	171531063705	06/05/2017	18:09	Cindy M Gehman	1
06966	Silver	SW-846 6010C	1	171531063705	06/05/2017	18:09	Cindy M Gehman	1
00159	Mercury	SW-846 7471B	1	171531063805	06/05/2017	09:24	Damary Valentin	1
10637	ICP/ICPMS-SW, 3050B - U4	SW-846 3050B	1	171531063705	06/05/2017	01:50	Denise L Trimby	1
10638	Hg - SW, 7471B - U4	SW-846 7471B	1	171531063805	06/05/2017	05:00	Denise L Trimby	1
00111	Moisture	SM 2540 G-1997	1	17153820003A	06/02/2017	20:49	Scott W Freisher	1

^{*=}This limit was used in the evaluation of the final result

Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Quality Control Summary

Client Name: EA Engineering Group Number: 1807464

Reported: 06/09/2017 10:15

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Method Blank

Analysis Name	Result	MDL**	LOQ
	ug/kg	ug/kg	ug/kg
Batch number: Q171571AA	Sample number	(s): 902149	4
Acetone	N.D.	350	1,000
Benzene	N.D.	25	250
Bromodichloromethane	N.D.	50	250
Bromoform	N.D.	50	250
Bromomethane	N.D.	100	250
2-Butanone	N.D.	200	500
Carbon Disulfide	N.D.	50	250
Carbon Tetrachloride	N.D.	50	250
Chlorobenzene	N.D.	50	250
Chloroethane	N.D.	100	250
Chloroform	N.D.	50	250
Chloromethane	N.D.	100	250
Dibromochloromethane	N.D.	50	250
1,1-Dichloroethane	N.D.	50	250
1,2-Dichloroethane	N.D.	50	250
1,1-Dichloroethene	N.D.	50	250
cis-1,2-Dichloroethene	N.D.	50	250
trans-1,2-Dichloroethene	N.D.	50	250
1,2-Dichloropropane	N.D.	50	250
cis-1,3-Dichloropropene	N.D.	50	250
trans-1,3-Dichloropropene	N.D.	50	250
Ethylbenzene	N.D.	50	250
2-Hexanone	N.D.	150	500
4-Methyl-2-pentanone	N.D.	150	500
Methylene Chloride	N.D.	100	250
Styrene	N.D.	50	250
1,1,2,2-Tetrachloroethane	N.D.	50	250
Tetrachloroethene	N.D.	50	250
Toluene	N.D.	50	250
1,1,1-Trichloroethane	N.D.	50	250
1,1,2-Trichloroethane	N.D.	50	250
Trichloroethene	N.D.	50	250
Vinyl Chloride	N.D.	50	250
Xylene (Total)	N.D.	50	250
Batch number: 17153SLB026	Sample number	(s): 902149	94
Acenaphthene	N.D.	3	17
Acenaphthylene	N.D.	3	17
Anthracene	N.D.	3	17
Benzo(a)anthracene	N.D.	3	17
Benzo(a)pyrene	N.D.	3	17

^{*-} Outside of specification

^{**-}This limit was used in the evaluation of the final result for the blank

⁽¹⁾ The result for one or both determinations was less than five times the LOQ.

⁽²⁾ The unspiked result was more than four times the spike added.

Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Quality Control Summary

Client Name: EA Engineering Group Number: 1807464

Reported: 06/09/2017 10:15

Method Blank (continued)

Analysis Name	Result	MDL**	LOQ
• • • • • • • • • • • • • • • • • • • •	ug/kg	ug/kg	ug/kg
Benzo(b)fluoranthene	N.D.	3	17
Benzo(g,h,i)perylene	N.D.	3	17
Benzo(k)fluoranthene	N.D.	3	17
4-Bromophenyl-phenylether	N.D.	17	33
Butylbenzylphthalate	N.D.	67	170
Di-n-butylphthalate	N.D.	67	170
Carbazole	N.D.	17	33
4-Chloro-3-methylphenol	N.D.	17	33
4-Chloroaniline	N.D.	33	67
bis(2-Chloroethoxy)methane	N.D.	17	33
bis(2-Chloroethyl)ether	N.D.	17	33
2-Chloronaphthalene	N.D.	7	33
2-Chlorophenol	N.D.	17	33
4-Chlorophenyl-phenylether	N.D.	17	33
2,2'-oxybis(1-Chloropropane)	N.D.	17	33
Chrysene	N.D.	3	17
Dibenz(a,h)anthracene	N.D.	3	17
Dibenzofuran	N.D.	17	33
1,2-Dichlorobenzene	N.D.	17	33
1,3-Dichlorobenzene	N.D.	17	33
1,4-Dichlorobenzene	N.D.	17	33
3,3'-Dichlorobenzidine	N.D.	100	330
2,4-Dichlorophenol	N.D.	17	33
Diethylphthalate	N.D.	67	170
2,4-Dimethylphenol	N.D.	17	33
Dimethylphthalate	N.D.	67	170
4,6-Dinitro-2-methylphenol	N.D.	170	500
2,4-Dinitrophenol	N.D.	300	1,000
2,4-Dinitrotoluene	N.D.	67	170
2,6-Dinitrotoluene	N.D.	17	33
bis(2-Ethylhexyl)phthalate	N.D.	67	170
Fluoranthene	N.D.	3	17
Fluorene	N.D.	3	17
Hexachlorobenzene	N.D.	3	17
Hexachlorobutadiene	N.D.	17	33
Hexachlorocyclopentadiene	N.D.	170	500
Hexachloroethane	N.D.	33	170
Indeno(1,2,3-cd)pyrene	N.D.	3	17
Isophorone	N.D.	17	33
2-Methylnaphthalene	N.D.	3	17
2-Methylphenol	N.D.	17	33
4-Methylphenol	N.D.	17	33
Naphthalene	N.D.	3	17
2-Nitroaniline	N.D.	17	33
3-Nitroaniline	N.D.	67	170
4-Nitroaniline	N.D.	67	170
Nitrobenzene	N.D.	17	33
2-Nitrophenol	N.D.	17	33
4-Nitrophenol	N.D.	170	500

^{*-} Outside of specification

^{**-}This limit was used in the evaluation of the final result for the blank

⁽¹⁾ The result for one or both determinations was less than five times the LOQ.

⁽²⁾ The unspiked result was more than four times the spike added.



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Quality Control Summary

Group Number: 1807464 Client Name: EA Engineering

Reported: 06/09/2017 10:15

Method Blank (continued)

Analysis Name	Result	MDL**	LOQ
	ug/kg	ug/kg	ug/kg
N-Nitroso-di-n-propylamine N-Nitrosodiphenylamine Di-n-octylphthalate Pentachlorophenol Phenanthrene Phenol Pyrene 1,2,4-Trichlorobenzene 2,4,5-Trichlorophenol	N.D. N.D. N.D. N.D. N.D. N.D. N.D.	17 17 67 33 3 17 3 17	33 33 170 170 17 33 17 33 33
2,4,6-Trichlorophenol	N.D.	17	33
	mg/kg	mg/kg	mg/kg
Batch number: 171531063705 Arsenic Barium Cadmium Chromium Lead Selenium Silver	Sample number N.D. 0.223 J N.D. N.D. N.D. N.D. N.D. N.D.	Der(s): 9021 0.970 0.0330 0.0490 0.140 0.550 0.900 0.150	4.00 1.00 1.00 3.00 3.00 4.00
Batch number: 171531063805	Sample numb	per(s): 9021	.494
Mercury		0.0100	0.100

LCS/LCSD

Analysis Name	LCS Spike Added ug/kg	LCS Conc ug/kg	LCSD Spike Added ug/kg	LCSD Conc ug/kg	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: Q171571AA	Sample numbe	r(s): 90214	.94						
Acetone	7500	3616.28	7500	4393.69	48	59	32-144	19	30
Benzene	1000	926.79	1000	899.18	93	90	80-120	3	30
Bromodichloromethane	1000	747.85	1000	769.59	75	77	75-120	3	30
Bromoform	1000	582.2	1000	601.06	58*	60*	61-122	3	30
Bromomethane	1000	1634.93	1000	1481.08	163*	148	39-155	10	30
2-Butanone	7500	5322.74	7500	5766.88	71	77	41-134	8	30
Carbon Disulfide	1000	986.15	1000	923.19	99	92	60-128	7	30
Carbon Tetrachloride	1000	633.26	1000	612.78	63*	61*	69-130	3	30
Chlorobenzene	1000	936	1000	921.05	94	92	80-120	2	30
Chloroethane	1000	1053.71	1000	992.07	105	99	50-137	6	30
Chloroform	1000	874.53	1000	861.68	87	86	80-120	1	30
Chloromethane	1000	984.95	1000	932.43	98	93	56-120	5	30
Dibromochloromethane	1000	658.75	1000	675.38	66*	68*	71-120	2	30
1,1-Dichloroethane	1000	959.77	1000	920.64	96	92	77-120	4	30
1,2-Dichloroethane	1000	928.67	1000	907.65	93	91	78-127	2	30
1,1-Dichloroethene	1000	982.86	1000	910.91	98	91	73-129	8	30

^{*-} Outside of specification

^{**-}This limit was used in the evaluation of the final result for the blank

⁽¹⁾ The result for one or both determinations was less than five times the LOQ.

⁽²⁾ The unspiked result was more than four times the spike added.

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Quality Control Summary

Client Name: EA Engineering Group Number: 1807464

Reported: 06/09/2017 10:15

LCS/LCSD (continued)

cis-1,2-Dichloroethene 1000 933.54 1000 913.63 93 91 80-120 2 30 trans-1,2-Dichloroethene 1000 963.58 1000 910.11 96 91 80-125 6 30 1,2-Dichloropropane 1000 958.75 1000 952.29 96 95 76-120 1 30 cis-1,3-Dichloropropene 1000 813.36 1000 834.55 83 83 74-120 0 30 trans-1,3-Dichloropropene 1000 818.82 1000 828.46 82 83 70-120 1 30 Ethylbenzene 1000 903.92 1000 884.87 90 88 80-120 2 30 2-Hexanone 5000 4245.96 5000 4857.09 85 93 45-138 9 30 4-Methyl-2-pentanone 5000 4856.94 5000 490.21 97 100 53-134 3 30 Styrene<	trans-1,2-Dichloroethene 1,2-Dichloropropane cis-1,3-Dichloropropene		ug/kg	ug/kg	Conc ug/kg	%REC	%REC	Limits		Max
trans-1,2-Dichloroethene 1000 963.58 1000 910.11 96 91 80-125 6 30 1,2-Dichloropropane 1000 958.75 1000 952.29 96 95 76-120 1 30 cis-1,3-Dichloropropene 1000 831.36 1000 834.55 83 83 74-120 0 30 trans-1,3-Dichloropropene 1000 818.82 1000 828.46 82 83 70-120 1 30 Ethylbenzene 1000 903.92 1000 884.87 90 88 80-120 2 30 2-Hexanone 5000 4245.96 5000 4657.09 85 93 45-138 9 30 4-Methyl-2-pentanone 5000 4856.94 5000 4990.21 97 100 53-134 3 30 Methylene Chloride 1000 956.88 1000 921.62 96 92 76-122 4 30 Styrene 1000 874.75 1000 872.35 87 87 76-120 0 30 1,1,2,2-Tetrachloroethane 1000 856.76 1000 855.21 86 99 67-121 14 30 Tetrachloroethene 1000 904.71 1000 856.46 90 86 74-126 5 30 Toluene 1000 957.3 1000 953.84 96 95 80-120 0 30 1,1,1-Trichloroethane 1000 951.29 1000 947.55 95 95 80-120 0 30 1,1,1-Trichloroethane 1000 951.29 1000 947.55 95 95 80-120 0 30 Trichloroethene 1000 870.75 1000 870.55 95 95 80-120 0 30 Trichloroethene 1000 970.33 1000 947.55 95 95 80-120 0 30 Trichloroethene 1000 970.33 1000 947.55 95 95 80-120 2 30 Vinyl Chloride 1000 970.33 1000 911.46 97 91 59-120 6 30 Xylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Axylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Axylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Axylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Axylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Axylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Axylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Axylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Axylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Axylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Axylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Axylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Axylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Axylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Axylene (Total) 3000 3000 3000 3000 3000 3000 3000 30	trans-1,2-Dichloroethene 1,2-Dichloropropane cis-1,3-Dichloropropene	1000								
1,2-Dichloropropane 1000 958.75 1000 952.29 96 95 76-120 1 30 cis-1,3-Dichloropropene 1000 831.36 1000 834.55 83 83 74-120 0 30 Ethylbenzene 1000 818.82 1000 828.46 82 83 70-120 1 30 Ethylbenzene 1000 903.92 1000 884.87 90 88 80-120 2 30 2-Hexanone 5000 4245.96 5000 4657.09 85 93 45-138 9 30 4-Methyl-2-pentanone 5000 4856.94 5000 4990.21 97 100 53-134 3 30 Methylene Chloride 1000 956.88 1000 921.62 96 92 76-122 4 30 Styrene 1000 874.75 1000 872.35 87 87 76-120 0 30 1,1,2,2-Tetrachloroethane 1000 856.76 1000 872.35 87 87 76-120 0 30 1,1,2,2-Tetrachloroethane 1000 957.3 1000 855.21 86 99 67-121 14 30 Toluene 1000 957.3 1000 856.46 90 86 74-126 5 30 Toluene 1000 951.29 1000 953.84 96 95 80-120 0 30 1,1,1-Trichloroethane 1000 951.29 1000 975.58 76 75 66-128 1 30 Trichloroethane 1000 970.33 1000 951.29 1000 947.55 95 95 80-120 0 30 Trichloroethane 1000 870.75 1000 851.9 87 85 80-120 2 30 Vinyl Chloride 1000 970.33 1000 971.46 97 91 59-120 6 30 Xylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Winyl Chloride 1000 970.33 1000 911.46 97 91 59-120 6 30 Xylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Accepaphthene 1666.67 1691.04 80 Mg/kg ug/kg ug/kg	1,2-Dichloropropane cis-1,3-Dichloropropene									
cis-1,3-Dichloropropene 1000 831.36 1000 834.55 83 83 74-120 0 30 trans-1,3-Dichloropropene 1000 818.82 1000 828.46 82 83 70-120 1 30 Ethylbenzene 1000 903.92 1000 884.87 90 88 80-120 2 30 2-Hexanone 5000 4245.96 5000 4657.09 85 93 45-138 9 30 4-Methyl-2-pentanone 5000 4856.94 5000 4990.21 97 100 53-134 3 30 Methylene Chloride 1000 956.88 1000 921.62 96 92 76-122 4 30 Styrene 1000 874.75 1000 872.35 87 87 76-120 0 30 1,1,2-Tetrachloroethane 1000 856.76 1000 985.21 86 99 67-121 14 30 Toluene <t< td=""><td>cis-1,3-Dichloropropene</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	cis-1,3-Dichloropropene									
trans-1,3-Dichloropropene 1000 818.82 1000 828.46 82 83 70-120 1 30 Ethylbenzene 1000 903.92 1000 884.87 90 88 80-120 2 30 2-Hexanone 5000 4245.96 5000 4657.09 85 93 45-138 9 30 4-Methyl-2-pentanone 5000 4856.94 5000 4990.21 97 100 53-134 3 30 Methylene Chloride 1000 956.88 1000 921.62 96 92 76-122 4 30 Styrene 1000 874.75 1000 872.35 87 87 76-120 0 30 1,1,2-Tetrachloroethane 1000 856.76 1000 985.21 86 99 67-121 14 30 Tetrachloroethene 1000 957.3 1000 953.84 96 95 80-120 0 30 1,1,1-Trichloroethane 1000 761.84 1000 953.84 96 95 80-120 0 30 1,1,2-Trichloroethane 1000 951.29 1000 947.55 95 95 80-120 0 30 Trichloroethane 1000 870.75 1000 870.75 95 95 80-120 0 30 Trichloroethane 1000 870.75 1000 871.46 97 91 59-120 6 30 Xylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Xylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Xylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Xylene (Total) 8aple number(s): 9021494 Acenaphthylene 1666.67 1640.72 98 83-119										
Ethylbenzene 1000 903.92 1000 884.87 90 88 80-120 2 30 2-Hexanone 5000 4245.96 5000 4657.09 85 93 45-138 9 30 4-Methyl-2-pentanone 5000 4856.94 5000 4990.21 97 100 53-134 3 30 Methylene Chloride 1000 956.88 1000 921.62 96 92 76-122 4 30 Styrene 1000 874.75 1000 872.35 87 87 76-120 0 30 1,1,2,2-Tetrachloroethane 1000 856.76 1000 985.21 86 99 67-121 14 30 Tetrachloroethene 1000 904.71 1000 856.46 90 86 74-126 5 30 1,1,1-Trichloroethane 1000 957.3 1000 953.84 96 95 80-120 0 30 1,1,2-Trichloroethane 1000 951.29 1000 947.55 95 95 80-120 0 30 Trichloroethane 1000 870.75 1000 851.9 87 85 80-120 2 30 Trichloroethene 1000 870.75 1000 851.9 87 85 80-120 2 30 Trichloroethene 1000 970.33 1000 911.46 97 91 59-120 6 30 Trichloroethene 1000 970.33 1000 911.46 97 91 59-120 6 30 Trichloroethene 1000 970.33 1000 911.46 97 91 59-120 2 30 Trichloroethene 1000 970.33 1000 911.46 97 91 59-120 2 30 Trichloroethene 1000 970.33 1000 911.46 97 91 59-120 2 30 Trichloroethene 1000 870.75 1000 851.9 87 85 80-120 2 30 Trichloroethene 1000 870.75 1000 851.9 87 85 80-120 2 30 Trichloroethene 1000 870.75 1000 851.9 87 85 80-120 2 30 Trichloroethene 1000 870.75 1000 851.9 87 85 80-120 2 30 Trichloroethene 1000 870.75 1000 851.9 87 85 80-120 2 30 Trichloroethene 1000 870.75 1000 851.9 87 85 80-120 2 30 Trichloroethene 1000 870.75 1000 851.9 87 85 80-120 2 30 Trichloroethene 1000 870.75 1000 851.9 87 85 80-120 2 30 Trichloroethene 1000 870.75 1000 851.9 87 85 80-120 2 30 Trichloroethene 1000 870.75 1000 851.9 87 85 80-120 2 30 Trichloroethene 1000 870.75 1000 851.9 87 85 80-120 2 30 Trichloroethene 1000 870.75 1000 851.9 87 85 80-120 2 30 Trichloroethene 1000 870.75 1000 851.9 87 85 80-120 2 30 Trichloroethene 1000 870.75 1000 851.9 87 85 80-120 2 30 Trichloroethene 1000 870.75 1000 851.9 87 85 80-120 2 30 Trichloroethene 1000 870.75 1000 870.75 1000 870.75 1000 870.75 1000 870.75 1000 870.75 1000 870.75 1000 870.75 1000 870.75 1000 870.75 1000 870.75 1000 870.75 1000 870.75 1000 870.75 1000 870.75 1000 870.75 1000 870.75 1000 870.75 1000 870.75										
2-Hexanone 5000 4245.96 5000 4657.09 85 93 45-138 9 30 4-Methyl-2-pentanone 5000 4856.94 5000 4990.21 97 100 53-134 3 30 Methylene Chloride 1000 956.88 1000 921.62 96 92 76-122 4 30 Styrene 1000 874.75 1000 872.35 87 87 76-120 0 30 1,1,2,2-Tetrachloroethane 1000 856.76 1000 985.21 86 99 67-121 14 30 Tetrachloroethene 1000 904.71 1000 856.46 90 86 74-126 5 30 Toluene 1000 957.3 1000 953.84 96 95 80-120 0 30 1,1,1-Trichloroethane 1000 761.84 1000 751.58 76 75 66-128 1 30 1,1,2-Trichloroethane 1000 951.29 1000 947.55 95 95 80-120 0 30 1,1,2-Trichloroethene 1000 870.75 1000 851.9 87 85 80-120 2 30 Vinyl Chloride 1000 970.33 1000 911.46 97 91 59-120 6 30 Xylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Xylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Acenaphthylene 1666.67 1691.04 101 83-116 Acenaphthylene 1666.67 1640.72 98 83-119										
4-Methyl-2-pentanone 5000 4856.94 5000 4990.21 97 100 53-134 3 30 Methylene Chloride 1000 956.88 1000 921.62 96 92 76-122 4 30 Styrene 1000 874.75 1000 872.35 87 87 76-120 0 30 1,1,2,2-Tetrachloroethane 1000 856.76 1000 985.21 86 99 67-121 14 30 Tetrachloroethene 1000 994.71 1000 856.46 90 86 74-126 5 30 Toluene 1000 957.3 1000 953.84 96 95 80-120 0 30 1,1,1-Trichloroethane 1000 761.84 1000 751.58 76 75 66-128 1 30 1,1,2-Trichloroethane 1000 951.29 1000 947.55 95 95 80-120 0 30 Trichloroethane 1000 870.75 1000 851.9 87 85 80-120 0 30 Trichloroethene 1000 870.75 1000 851.9 87 85 80-120 2 30 Vinyl Chloride 1000 970.33 1000 911.46 97 91 59-120 6 30 Xylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Waylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Acenaphthene 1666.67 1691.04 101 83-116 Acenaphthylene 1666.67 1640.72 98 83-119	-									
Methylene Chloride 1000 956.88 1000 921.62 96 92 76-122 4 30 Styrene 1000 874.75 1000 872.35 87 87 76-120 0 30 1,1,2,2-Tetrachloroethane 1000 856.76 1000 985.21 86 99 67-121 14 30 Tetrachloroethene 1000 904.71 1000 856.46 90 86 74-126 5 30 Toluene 1000 957.3 1000 953.84 96 95 80-120 0 30 1,1,2-Trichloroethane 1000 761.84 1000 751.58 76 75 66-128 1 30 1,1,2-Trichloroethane 1000 951.29 1000 947.55 95 95 80-120 0 30 Trichloroethane 1000 870.75 1000 851.9 87 85 80-120 2 30 Vinyl Chloride 1000<										
Styrene 1000 874.75 1000 872.35 87 76-120 0 30 1,1,2,2-Tetrachloroethane 1000 856.76 1000 985.21 86 99 67-121 14 30 Tetrachloroethene 1000 904.71 1000 856.46 90 86 74-126 5 30 Toluene 1000 957.3 1000 953.84 96 95 80-120 0 30 1,1,2-Trichloroethane 1000 761.84 1000 751.58 76 75 66-128 1 30 1,1,2-Trichloroethane 1000 951.29 1000 947.55 95 95 80-120 0 30 Trichloroethane 1000 870.75 1000 851.9 87 85 80-120 0 30 Vinyl Chloride 1000 970.33 1000 911.46 97 91 59-120 6 30 Xylene (Total) 3000 2716.25										
1,1,2,2-Tetrachloroethane 1000 856.76 1000 985.21 86 99 67-121 14 30 Tetrachloroethene 1000 904.71 1000 856.46 90 86 74-126 5 30 Toluene 1000 957.3 1000 953.84 96 95 80-120 0 30 1,1,1-Trichloroethane 1000 761.84 1000 751.58 76 75 66-128 1 30 Toluene 1000 951.29 1000 947.55 95 95 80-120 0 30 Trichloroethane 1000 870.75 1000 851.9 87 85 80-120 0 30 Trichloroethene 1000 870.75 1000 851.9 87 85 80-120 2 30 Vinyl Chloride 1000 970.33 1000 911.46 97 91 59-120 6 30 Xylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Ug/kg Batch number: 17153SLB026 Sample number(s): 9021494 Acenaphthene 1666.67 1691.04 101 83-116 Acenaphthylene 1666.67 1640.72 98 83-119	_									
Tetrachloroethene 1000 904.71 1000 856.46 90 86 74-126 5 30 Toluene 1000 957.3 1000 953.84 96 95 80-120 0 30 1,1,1-Trichloroethane 1000 761.84 1000 751.58 76 75 66-128 1 30 1,1,2-Trichloroethane 1000 951.29 1000 947.55 95 95 80-120 0 30 Trichloroethane 1000 870.75 1000 851.9 87 85 80-120 2 30 Vinyl Chloride 1000 970.33 1000 911.46 97 91 59-120 6 30 Xylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Ug/kg Ug/kg Batch number: 17153SLB026 Sample number(s): 9021494 Acenaphthene 1666.67 1691.04 101 83-116 Acenaphthylene 1666.67 1640.72 98 83-119	-								-	
Toluene 1000 957.3 1000 953.84 96 95 80-120 0 30 1,1,1-Trichloroethane 1000 761.84 1000 751.58 76 75 66-128 1 30 1,1,2-Trichloroethane 1000 951.29 1000 947.55 95 95 80-120 0 30 Trichloroethane 1000 870.75 1000 851.9 87 85 80-120 2 30 Vinyl Chloride 1000 970.33 1000 911.46 97 91 59-120 6 30 Xylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Wg/kg ug/kg Batch number: 17153SLB026 Sample number(s): 9021494 Acenaphthene 1666.67 1691.04 101 83-116 Acenaphthylene 1666.67 1640.72 98 83-119										
1,1,1-Trichloroethane 1000 761.84 1000 751.58 76 75 66-128 1 30 1,1,2-Trichloroethane 1000 951.29 1000 947.55 95 95 80-120 0 30 Trichloroethane 1000 870.75 1000 851.9 87 85 80-120 2 30 Vinyl Chloride 1000 970.33 1000 911.46 97 91 59-120 6 30 Xylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Ug/kg Ug/kg Ug/kg Batch number: 17153SLB026 Sample number(s): 9021494 Acenaphthene 1666.67 1691.04 101 83-116 Acenaphthylene 1666.67 1640.72 98 83-119										
1,1,2-Trichloroethane 1000 951.29 1000 947.55 95 95 80-120 0 30 Trichloroethene 1000 870.75 1000 851.9 87 85 80-120 2 30 Vinyl Chloride 1000 970.33 1000 911.46 97 91 59-120 6 30 Xylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Ug/kg Ug/kg Ug/kg Batch number: 17153SLB026 Sample number(s): 9021494 Acenaphthene 1666.67 1691.04 101 83-116 Acenaphthylene 1666.67 1640.72 98 83-119										
Trichloroethene 1000 870.75 1000 851.9 87 85 80-120 2 30 Vinyl Chloride 1000 970.33 1000 911.46 97 91 59-120 6 30 Xylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 Ug/kg Ug/kg Ug/kg Batch number: 17153SLB026 Sample number(s): 9021494 Acenaphthene 1666.67 1691.04 101 83-116 Acenaphthylene 1666.67 1640.72 98 83-119	• •									
Vinyl Chloride 1000 970.33 1000 911.46 97 91 59-120 6 30 Xylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 ug/kg ug/kg ug/kg ug/kg ug/kg ug/kg solution 30 80-120 2 30 Batch number: 17153SLB026 Sample number(s): 9021494 30 <td>• •</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td>	• •								-	
xylene (Total) 3000 2716.25 3000 2666.24 91 89 80-120 2 30 ug/kg ug/kg ug/kg ug/kg ug/kg ug/kg ug/kg Batch number: 17153SLB026 Sample number(s): 9021494 30 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>										
ug/kg ug/kg ug/kg ug/kg Batch number: 17153SLB026 Sample number(s): 9021494 Acenaphthene 1666.67 1691.04 101 83-116 Acenaphthylene 1666.67 1640.72 98 83-119	-									
Batch number: 17153SLB026 Sample number(s): 9021494 Acenaphthene 1666.67 1691.04 101 83-116 Acenaphthylene 1666.67 1640.72 98 83-119	Xylene (Total)	3000	2716.25	3000	2666.24	91	89	80-120	2	30
Acenaphthene 1666.67 1691.04 101 83-116 Acenaphthylene 1666.67 1640.72 98 83-119		ug/kg	ug/kg	ug/kg	ug/kg					
Acenaphthene 1666.67 1691.04 101 83-116 Acenaphthylene 1666.67 1640.72 98 83-119	Batch number: 17153SLB026	Sample numbe	er(s): 90214	94						
						101		83-116		
	Acenaphthylene	1666.67	1640.72			98		83-119		
Anthracene 1666.67 1592.83 96 82-118	Anthracene	1666.67	1592.83			96		82-118		
Benzo(a)anthracene 1666.67 1747.23 105 76-119	Benzo(a)anthracene	1666.67	1747.23			105		76-119		
Benzo(a)pyrene 1666.67 1769.35 106 78-117	Benzo(a)pyrene	1666.67	1769.35			106		78-117		
Benzo(b) fluoranthene 1666.67 1965.88 118 79-121	Benzo(b)fluoranthene	1666.67	1965.88			118		79-121		
Benzo(g,h,i)perylene 1666.67 1766.17 106 71-123	Benzo(g,h,i)perylene	1666.67	1766.17			106		71-123		
Benzo(k)fluoranthene 1666.67 1624.35 97 71-123	Benzo(k)fluoranthene	1666.67	1624.35			97		71-123		
4-Bromophenyl-phenylether 1666.67 1752.51 105 78-122	4-Bromophenyl-phenylether	1666.67	1752.51			105		78-122		
Butylbenzylphthalate 1666.67 1717.33 103 80-118	Butylbenzylphthalate	1666.67	1717.33			103		80-118		
Di-n-butylphthalate 1666.67 1667.45 100 84-120	Di-n-butylphthalate	1666.67	1667.45			100		84-120		
Carbazole 1666.67 1616.27 97 80-120	Carbazole	1666.67	1616.27			97		80-120		
4-Chloro-3-methylphenol 1666.67 1638.85 98 78-124	4-Chloro-3-methylphenol	1666.67	1638.85			98		78-124		
4-Chloroaniline 1666.67 1016.5 61 10-110	4-Chloroaniline	1666.67	1016.5			61		10-110		
bis(2-Chloroethoxy)methane 1666.67 1718.79 103 77-116	bis(2-Chloroethoxy)methane	1666.67	1718.79			103		77-116		
bis(2-Chloroethyl)ether 1666.67 1602.7 96 68-115	bis(2-Chloroethyl)ether	1666.67	1602.7			96		68-115		
2-Chloronaphthalene 1666.67 2048.64 123 57-148	2-Chloronaphthalene	1666.67	2048.64			123		57-148		
2-Chlorophenol 1666.67 1751.24 105 80-121	2-Chlorophenol	1666.67	1751.24			105		80-121		
4-Chlorophenyl-phenylether 1666.67 1729.04 104 73-119	4-Chlorophenyl-phenylether	1666.67	1729.04			104		73-119		
2,2'-oxybis(1-Chloropropane) 1666.67 1443.34 87 60-123	2,2'-oxybis(1-Chloropropane)	1666.67	1443.34			87		60-123		
Chrysene 1666.67 1712.04 103 72-121	Chrysene	1666.67	1712.04			103		72-121		
Dibenz(a,h)anthracene 1666.67 1907.2 114 72-129	, , ,	1666.67	1907.2					72-129		
Dibenzofuran 1666.67 1705.14 102 79-114	Dibenzofuran	1666.67	1705.14					79-114		
1,2-Dichlorobenzene 1666.67 1629.04 98 77-113	1,2-Dichlorobenzene	1666.67	1629.04			98		77-113		
1,3-Dichlorobenzene 1666.67 1598.35 96 79-113	1,3-Dichlorobenzene	1666.67	1598.35			96		79-113		
1,4-Dichlorobenzene 1666.67 1607.33 96 79-112	1,4-Dichlorobenzene	1666.67	1607.33			96		79-112		
3,3'-Dichlorobenzidine 1666.67 1583.36 95 12-125	3,3'-Dichlorobenzidine	1666.67	1583.36			95		12-125		

^{*-} Outside of specification

^{**-}This limit was used in the evaluation of the final result for the blank

⁽¹⁾ The result for one or both determinations was less than five times the LOQ.

⁽²⁾ The unspiked result was more than four times the spike added.

Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Quality Control Summary

Client Name: EA Engineering Group Number: 1807464

Reported: 06/09/2017 10:15

LCS/LCSD (continued)

Analysis Name	LCS Spike Added ug/kg	LCS Conc ug/kg	LCSD Spike Added ug/kg	LCSD Conc ug/kg	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
			ug/kg	ug/kg					
2,4-Dichlorophenol	1666.67	1797.15			108		86-125		
Diethylphthalate	1666.67	1561.16			94		81-118		
2,4-Dimethylphenol	1666.67	1310.12			79		57-109		
Dimethylphthalate	1666.67	1715.93			103		82-113		
4,6-Dinitro-2-methylphenol	1666.67	1740			104		53-130		
2,4-Dinitrophenol	3333.33	3007.12			90		27-136		
2,4-Dinitrotoluene	1666.67	1805.33			108		81-122		
2,6-Dinitrotoluene	1666.67	1837.52			110		80-120		
bis(2-Ethylhexyl)phthalate	1666.67	1768.58			106		81-121		
Fluoranthene	1666.67	1629.61			98		72-120		
Fluorene	1666.67	1684.98			101		75-118		
Hexachlorobenzene	1666.67	1707.63			102		73-120		
Hexachlorobutadiene	1666.67	1707.83			102		72-120		
Hexachlorocyclopentadiene	3333.33	2822.03			85		57-142		
Hexachloroethane	1666.67	1545.8			93		69-116		
Indeno(1,2,3-cd)pyrene	1666.67	1774.75			106		69-125		
Isophorone	1666.67	1556.58			93		70-118		
2-Methylnaphthalene	1666.67	1653.7			99		77-116		
2-Methylphenol	1666.67	1712.02			103		74-128		
4-Methylphenol	1666.67	1575.81			95		72-120		
Naphthalene	1666.67	1603.97			96		75-113		
2-Nitroaniline	1666.67	1863.26			112		84-126		
3-Nitroaniline	1666.67	1599.89			96		60-125		
4-Nitroaniline	1666.67	1538.57			92		50-112		
Nitrobenzene	1666.67	1566.91			94		70-122		
2-Nitrophenol	1666.67	1861.44			112		83-120		
4-Nitrophenol	1666.67	950.95			57		52-133		
N-Nitroso-di-n-propylamine	1666.67	1480.34			89		67-121		
N-Nitrosodiphenylamine	1666.67	1738.57			104		83-118		
Di-n-octylphthalate	1666.67	1969.74			118		80-140		
Pentachlorophenol	1666.67	916.98			55*		56-131		
Phenanthrene	1666.67	1646.49			99		74-114		
Phenol	1666.67	1591.62			95		73-122		
Pyrene	1666.67	1660.12			100		74-112		
1,2,4-Trichlorobenzene	1666.67	1772.77			106		79-114		
2,4,5-Trichlorophenol	1666.67	1702.04			102		86-123		
2,4,6-Trichlorophenol	1666.67	1800.94			108		81-123		
	mg/kg	mg/kg	mg/kg	mg/kg					
Batch number: 171531063705	Sample numbe	er(s): 90214	94						
Arsenic	15	16.16			108		80-120		
Barium	200	202.91			101		80-120		
Cadmium	5.00	5.23			105		80-120		
Chromium	20	20.65			103		80-120		
Lead	15	15.59			104		80-120		
Selenium	15	15.17			101		80-120		
Silver	5.00	5.70			114		80-120		

^{*-} Outside of specification

^{**-}This limit was used in the evaluation of the final result for the blank

⁽¹⁾ The result for one or both determinations was less than five times the LOQ.

⁽²⁾ The unspiked result was more than four times the spike added.



Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Quality Control Summary

Client Name: EA Engineering Group Number: 1807464

Reported: 06/09/2017 10:15

LCS/LCSD (continued)

Analysis Name	LCS Spike Added mg/kg	LCS Conc mg/kg	LCSD Spike Added mg/kg	LCSD Conc mg/kg	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 171531063805 Mercury	Sample numbe	er(s): 90214 0.0923	194		92		80-120		
	%	%	%	%					
Batch number: 17153820003A Moisture	Sample numbe	er(s): 90214 89.43	194		100		99-101		

MS/MSD

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc ug/kg	MS Spike Added ug/kg	MS Conc ug/kg	MSD Spike Added ug/kg	MSD Conc ug/kg	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
Batch number: Q171571AA	Sample numb	er(s): 902	1494 UNSP	K: P017478						
Acetone	N.D.	8886.26	13649.29	7560.48	12504.6	154*	165*	32-144	9	30
Benzene	543	1184.83	14932.85	1008.06	4046.96	1215*	348*	80-120	115*	30
Bromodichloromethane	N.D.	1184.83	1862.22	1008.06	1584.67	157*	157*	75-120	16	30
Bromoform	N.D.	1184.83	1058.1	1008.06	995.38	89	99	61-122	6	30
Bromomethane	N.D.	1184.83	2282.44	1008.06	2110.49	193*	209*	39-155	8	30
2-Butanone	N.D.	8886.26	15557.61	7560.48	13316.01	175*	176*	41-134	16	30
Carbon Disulfide	N.D.	1184.83	850.82	1008.06	845.26	72	84	60-128	1	30
Carbon Tetrachloride	N.D.	1184.83	867.15	1008.06	876.28	73	87	69-130	1	30
Chlorobenzene	N.D.	1184.83	1599.88	1008.06	1482.58	135*	147*	80-120	8	30
Chloroethane	N.D.	1184.83	1576.33	1008.06	1413.43	133	140*	50-137	11	30
Chloroform	N.D.	1184.83	1747.16	1008.06	1561.33	147*	155*	80-120	11	30
Chloromethane	N.D.	1184.83	1408.83	1008.06	1211.54	119	120	56-120	15	30
Dibromochloromethane	N.D.	1184.83	1073.12	1008.06	1081.3	91	107	71-120	1	30
1,1-Dichloroethane	N.D.	1184.83	1697.71	1008.06	1560.41	143*	155*	77-120	8	30
1,2-Dichloroethane	N.D.	1184.83	1773.27	1008.06	1552.37	150*	154*	78-127	13	30
1,1-Dichloroethene	N.D.	1184.83	1286.94	1008.06	1230.21	109	122	73-129	5	30
cis-1,2-Dichloroethene	N.D.	1184.83	1619.65	1008.06	1490.69	137*	148*	80-120	8	30
trans-1,2-Dichloroethene	N.D.	1184.83	1365.25	1008.06	1295.1	115	128*	80-125	5	30
1,2-Dichloropropane	N.D.	1184.83	1918.44	1008.06	1661.04	162*	165*	76-120	14	30
cis-1,3-Dichloropropene	N.D.	1184.83	1408.13	1008.06	1360.13	119	135*	74-120	3	30
trans-1,3-Dichloropropene	N.D.	1184.83	1422.14	1008.06	1364.97	120	135*	70-120	4	30
Ethylbenzene	525.99	1184.83	6207.95	1008.06	3226.3	480*	268*	80-120	63*	30
2-Hexanone	N.D.	5924.17	20650.05	5040.32	18238.61	349*	362*	45-138	12	30
4-Methyl-2-pentanone	N.D.	5924.17	11188.59	5040.32	10012.47	189*	199*	53-134	11	30
Methylene Chloride	N.D.	1184.83	1687.8	1008.06	1492.15	142*	148*	76-122	12	30
Styrene	N.D.	1184.83	1598.54	1008.06	1473.57	135*	146*	76-120	8	30
1,1,2,2-Tetrachloroethane	N.D.	1184.83	2339.64	1008.06	1960.66	197*	194*	67-121	18	30
Tetrachloroethene	N.D.	1184.83	1196.98	1008.06	1174.44	101	117	74-126	2	30
Toluene	531.86	1184.83	9869.2	1008.06	3658.16	788*	310*	80-120	92*	30

^{*-} Outside of specification

^{**-}This limit was used in the evaluation of the final result for the blank

⁽¹⁾ The result for one or both determinations was less than five times the LOQ.

⁽²⁾ The unspiked result was more than four times the spike added.

Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Environmental

Quality Control Summary

Client Name: EA Engineering Group Number: 1807464

Reported: 06/09/2017 10:15

MS/MSD (continued)

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc ug/kg	MS Spike Added ug/kg	MS Conc ug/kg	MSD Spike Added ug/kg	MSD Conc ug/kg	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
1,1,1-Trichloroethane	N.D.	1184.83	1158.77	1008.06	1101.63	98	109	66-128	5	30
1,1,2-Trichloroethane	N.D.	1184.83	6810.16	1008.06	5814.19	575*	577*	80-120	16	30
Trichloroethene	N.D.	1184.83	1437	1008.06	1314.76	121*	130*	80-120	9	30
Vinyl Chloride	N.D.	1184.83	1297.08	1008.06	1130.25	109	112	59-120	14	30
Xylene (Total)	1172.46	3554.5	16897.52	3024.19	9351.06	442*	270*	80-120	57*	30
myreme (redar)	11/110	3331.3	10037.02	3021.13	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		2,0	00 120	3,	50
	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg					
Batch number: 17153SLB026	Sample numb	er(s): 902	1494 UNSP	K: P011609						
Acenaphthene	N.D.	1661.13	1462.24	1655.63	1502.33	88	91	83-116	3	30
Acenaphthylene	N.D.	1661.13	1248.73	1655.63	1403.05	75*	85	83-119	12	30
Anthracene	N.D.	1661.13	1339.26	1655.63	1449.33	81*	88	82-118	8	30
Benzo(a)anthracene	N.D.	1661.13	1264.51	1655.63	1459.67	76	88	76-119	14	30
Benzo(a)pyrene	19.43	1661.13	1267.95	1655.63	1494.79	75*	89	78-117	16	30
Benzo(b)fluoranthene	29.71	1661.13	1353.41	1655.63	1611.97	80	96	79-121	17	30
Benzo(g,h,i)perylene	21.27	1661.13	1298.53	1655.63	1503.21	77	90	71-123	15	30
Benzo(k)fluoranthene	N.D.	1661.13	1277.27	1655.63	1414.05	77	85	71-123	10	30
4-Bromophenyl-phenylether	N.D.	1661.13	1404.26	1655.63	1468.6	85	89	78-122	4	30
Butylbenzylphthalate	N.D.	1661.13	1265.99	1655.63	1473.57	76*	89	80-118	15	30
Di-n-butylphthalate	N.D.	1661.13	1272.68	1655.63	1426.34	77*	86	84-120	11	30
Carbazole	N.D.	1661.13	1199	1655.63	1381.33	72*	83	80-120	14	30
4-Chloro-3-methylphenol	N.D.	1661.13	1427.42	1655.63	1492.86	86	90	78-124	4	30
4-Chloroaniline	N.D.	1661.13	N.D.	1655.63	261.71	0*	16	10-110	200*	30
bis(2-Chloroethoxy)methane	N.D.	1661.13	1601.43	1655.63	1443.98	96	87	77-116	10	30
bis(2-Chloroethyl)ether	N.D.	1661.13	1421.69	1655.63	1459.28	86	88	68-115	3	30
2-Chloronaphthalene	N.D.	1661.13	1787.46	1655.63	1801.73	108	109	57-148	1	30
2-Chlorophenol	N.D.	1661.13	1490.7	1655.63	1616.07	90	98	80-121	8	30
4-Chlorophenyl-phenylether	N.D.	1661.13	1433.49	1655.63	1552.97	86	94	73-119	8	30
2,2'-oxybis(1-Chloropropane)	N.D.	1661.13	1395.21	1655.63	1352.7	84	82	60-123	3	30
Chrysene	19.06	1661.13	1257.98	1655.63	1464.75	75	87	72-121	15	30
Dibenz(a,h)anthracene	N.D.	1661.13	1377.51	1655.63	1612.14	83	97	72-129	16	30
Dibenzofuran	N.D.	1661.13	1442.31	1655.63	1508.7	87	91	79-114	4	30
1,2-Dichlorobenzene	N.D.	1661.13	1517.95	1655.63	1535.16	91	93	77-113	1	30
1,3-Dichlorobenzene	N.D.	1661.13	1499.77	1655.63	1497.05	90	90	79-113	0	30
1,4-Dichlorobenzene	N.D.	1661.13	1549.73	1655.63	1512.1	93	91	79-112	2	30
3,3'-Dichlorobenzidine	N.D.	1661.13	N.D.	1655.63	N.D.	0*	0*	12-125	0	30
2,4-Dichlorophenol	N.D.	1661.13	1478.25	1655.63	1556.14	89	94	86-125	5	30
Diethylphthalate	N.D.	1661.13	1228.83	1655.63	1293.07	74*	78*	81-118	5	30
2,4-Dimethylphenol	N.D.	1661.13	1018.19	1655.63	1070.84	61	65	57-109	5	30
Dimethylphthalate	N.D.	1661.13	1375.53	1655.63	1418.37	83	86	82-113	3	30
4,6-Dinitro-2-methylphenol	N.D.	1661.13	N.D.	1655.63	1287.26	0*	78	53-130	200*	30
2,4-Dinitrophenol	N.D.	3322.26	N.D.	3311.26	2059.95	0*	62	27-136	200*	30
2,4-Dinitrophenoi 2,4-Dinitrotoluene	N.D.	1661.13	907.39	1655.63	1433.84	55*	87	81-122	45*	30
2,4-Dinitrotoluene 2,6-Dinitrotoluene	N.D.	1661.13	1026.08	1655.63	1576.66	62*	95	80-120	42*	30
bis(2-Ethylhexyl)phthalate	N.D.	1661.13	1310.92	1655.63	1496.81	6⊿^ 79*	95 90	81-121	13	30
Fluoranthene	N.D. 26.88	1661.13	1294.7	1655.63	1427.13	79" 76	90 85	72-120	10	30
			1423.2			76 86	85 90		10 5	30
Fluorene	N.D.	1661.13	1423.2	1655.63	1489.21	00	90	75-118	5	30

^{*-} Outside of specification

^{**-}This limit was used in the evaluation of the final result for the blank

⁽¹⁾ The result for one or both determinations was less than five times the LOQ.

⁽²⁾ The unspiked result was more than four times the spike added.

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Quality Control Summary

Client Name: EA Engineering Group Number: 1807464

Reported: 06/09/2017 10:15

MS/MSD (continued)

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc ug/kg	MS Spike Added ug/kg	MS Conc ug/kg	MSD Spike Added ug/kg	MSD Conc ug/kg	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
Hexachlorobenzene	N.D.	1661.13	1358.03	1655.63	1494.5	82	90	73-120	10	30
Hexachlorobutadiene	N.D.	1661.13	1569.28	1655.63	1549.23	94	94	72-120	1	30
Hexachlorocyclopentadiene	N.D.	3322.26	N.D.	3311.26	N.D.	0*	0*	57-142	0	30
Hexachloroethane	N.D.	1661.13	913.22	1655.63	1402.35	55*	85	69-116	42*	30
Indeno(1,2,3-cd)pyrene	18.3	1661.13	1291.6	1655.63	1520.13	77	91	69-125	16	30
Isophorone	N.D.	1661.13	1351.13	1655.63	1363.16	81	82	70-118	1	30
2-Methylnaphthalene	N.D.	1661.13	1529.8	1655.63	1534.7	92	93	77-116	0	30
2-Methylphenol	N.D.	1661.13	1485.82	1655.63	1467.26	89	89	74-128	1	30
4-Methylphenol	N.D.	1661.13	1355.59	1655.63	1422.48	82	86	72-120	5	30
Naphthalene	36.26	1661.13	1528.78	1655.63	1508.84	90	89	75-113	1	30
2-Nitroaniline	N.D.	1661.13	1922.4	1655.63	1625.13	116	98	84-126	17	30
3-Nitroaniline	N.D.	1661.13	N.D.	1655.63	398.88	0*	24*	60-125	200*	30
4-Nitroaniline	N.D.	1661.13	N.D.	1655.63	541.43	0*	33*	50-112	200*	30
Nitrobenzene	N.D.	1661.13	1368.12	1655.63	1428.72	82	86	70-122	4	30
2-Nitrophenol	N.D.	1661.13	1323.92	1655.63	1619.03	80*	98	83-120	20	30
4-Nitrophenol	N.D.	1661.13	1244.22	1655.63	1087.63	75	66	52-133	13	30
N-Nitroso-di-n-propylamine	N.D.	1661.13	1454.41	1655.63	1443.99	88	87	67-121	1	30
N-Nitrosodiphenylamine	N.D.	1661.13	1201.37	1655.63	1469.93	72*	89	83-118	20	30
Di-n-octylphthalate	N.D.	1661.13	1496.82	1655.63	1743.62	90	105	80-140	15	30
Pentachlorophenol	N.D.	1661.13	1222.49	1655.63	1199.58	74	72	56-131	2	30
Phenanthrene	16.73	1661.13	1341.33	1655.63	1474.46	80	88	74-114	9	30
Phenol	N.D.	1661.13	1473.65	1655.63	1505.71	89	91	73-122	2	30
Pyrene	30.69	1661.13	1268.39	1655.63	1443.03	75	85	74-112	13	30
1,2,4-Trichlorobenzene	N.D.	1661.13	1632.47	1655.63	1586.07	98	96	79-114	3	30
2,4,5-Trichlorophenol	N.D.	1661.13	1425.38	1655.63	1497.26	86	90	86-123	5	30
2,4,6-Trichlorophenol	N.D.	1661.13	1540	1655.63	1551.51	93	94	81-123	1	30
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg					
Batch number: 171531063705	Sample numb	per(s): 902	1494 UNSP	K: P018277						
Arsenic	72.02	14.56	351.32	15	186.13	1918 (2)	761 (2)	75-125	61*	20
Barium	23.73	194.17	221.01	200	223.39	102	100	75-125	1	20
Cadmium	N.D.	4.85	4.90	5.00	4.92	101	98	75-125	0	20
Chromium	152.59	19.42	500.29	20	233.38	1791	404 (2)	75-125	73*	20
						(2)				
Lead	6.00	14.56	28.67	15	22.72	156*	111	75-125	23*	20
Selenium	N.D.	14.56	15.02	15	14.17	103	94	75-125	6	20
Silver	N.D.	4.85	5.16	5.00	5.29	106	106	75-125	3	20
Batch number: 171531063805	Sample numb	per(s): 902	1494 UNSP	K: P018278						
Mercury	0.0430	0.154	0.164	0.161	0.171	79*	79*	80-120	4	20

^{*-} Outside of specification

^{**-}This limit was used in the evaluation of the final result for the blank

⁽¹⁾ The result for one or both determinations was less than five times the LOQ.

⁽²⁾ The unspiked result was more than four times the spike added.



Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Quality Control Summary

Client Name: EA Engineering Group Number: 1807464

Reported: 06/09/2017 10:15

Laboratory Duplicate

Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	e BKG Conc		DUP RPD	DUP RPD Max
	mg/kg	mg/kg		
Batch number: 171531063705	Sample number(s):	9021494 BKG: P018277		
Arsenic	72.02	54.13	28*	20
Barium	23.73	24.22	2	20
Cadmium	N.D.	N.D.	0 (1)	20
Chromium	152.59	86.94	55*	20
Lead	6.00	6.05	1 (1)	20
Selenium	N.D.	N.D.	0 (1)	20
Silver	N.D.	N.D.	0 (1)	20
Batch number: 171531063805	Sample number(s):	9021494 BKG: P018278		
Mercury	0.0430	0.0363	17 (1)	20
	%	%		
Batch number: 17153820003A	Sample number(s):	9021494 BKG: P009946		
Moisture	23.34	23.14	1	5

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: VOCs- Solid by 8260B

Batch number: Q171571AA

	Dibromofluoromethane 1,2-Dichloroethane-de		Toluene-d8	4-Bromofluorobenzene		
9021494	65	67	56	55		
Blank	81	86	90	80		
LCS	88	91	95	93		
LCSD	86	87	95	92		
MS	59	58	64	56		
MSD	61	58	63	57		
Limits:	50-141	54-135	52-141	50-131		

Analysis Name: SVOA 8270D (microwave)

Batch number: 17153SLB026

	Phenol-d6	2-Fluorophenol	2,4,6-Tribromophenol	Nitrobenzene-d5	2-Fluorobiphenyl	Terphenyl-d14
9021494	84	93	92	100	96	103
Blank	86	90	89	86	92	100
LCS	92	96	92	86	94	98
MS	82	84	81	76	84	78
MSD	85	86	86	77	83	85
Limits:	46-125	43-130	28-141	45-125	50-124	43-132

^{*-} Outside of specification

^{**-}This limit was used in the evaluation of the final result for the blank

⁽¹⁾ The result for one or both determinations was less than five times the LOQ.

⁽²⁾ The unspiked result was more than four times the spike added.



Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Quality Control Summary

Client Name: EA Engineering Group Number: 1807464

Reported: 06/09/2017 10:15

^{*-} Outside of specification

^{**-}This limit was used in the evaluation of the final result for the blank

⁽¹⁾ The result for one or both determinations was less than five times the LOQ.

⁽²⁾ The unspiked result was more than four times the spike added.

Page 1 of 1

EA Engineering - Wilcox DateShipped: 4/25/2017

CarrierName: FedEx

Special Instructions:

AirbillNo: 7789 8804 4925

CHAIN OF CUSTODY RECORD 5/3/17

Site #: 277

Contact Name: Patrick Appel

Contact Phone: 972-315-3922

No: 6-042517-142918-0155

Lab Contact: Angela Miller

Lab: Eurofins Lancaster Laboratories **Environmental LLC**

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

Lab Phone: 717-656-2300

Lab#	Sample #	Analyses	Preservative	Sampler	Collected	Sample Time	Numb Cont		Lab QC
	ETF-WC-01	Ignitability Moisture PCBs pH	Ice to 4C	Jason Stroup	4/25/2017	14:35	1	8oz Jar	N
	ETF-WC-01	Dioxins Furans	Ice to 4C	Jason Stroup	4/25/2017	14:35	1	8oz Jar	N
	ETF-WC-01	Reactivity	Ice to 4C	Jason Stroup	4/25/2017	14:35	1	4oz Jar	N
* *	ETF-WC-01	GRO	Ice to 4C	Jason Stroup	4/25/2017	14:35	s 1	4oz Jar	N
	ETF-WC-01	ORO	Ice to 4C	Jason Stroup	4/25/2017	14:35	1	8oz Jar	N
	ETF-WC-01	DRO	Ice to 4C	Jason Stroup	4/25/2017	14:35	1	8oz Jar	N
	ETF-WC-01	TCLP Metals TCLP SVOCs	Ice to 4C	Jason Stroup	4/25/2017	14:35	3	8oz Jar	N
	ETF-WC-01	TCLP VOCs	Ice to 4C	Jason Stroup	4/25/2017	14:35	1	4oz Jar	N
		:		:			1		
		-		<u> </u>					

Items/Reason	Relinguished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
Hellis/Leason	Residuisited by (Digitature and Organization)	Date/Time	(Colored by Colgnature and Organization)	Batterrinie	Campio Contactor Sport (Cosp.
	X A	4-25-17 1800	Cliff Sayan H	44-25-17 1800	
	DINIM Bush FA	4-25-19 2000	FRAFX (coursel)	4-25-17 2000	
,	0 0	1	1		1
				4	4.
The state of the s			2) (ELLE	4-26-17 /940	Inter

Angela Miller

From:

Moss, Pamela <pmoss@eaest.com>

Sent:

Wednesday, May 31, 2017 5:13 PM

To:

Angela Miller

Subject:

RE: Wilcox - additional sample analysis requested

Sounds good thx Angela

From: Angela Miller [mailto:AngelaMiller@eurofinsUS.com]

Sent: Wednesday, May 31, 2017 3:10 PM **To:** Moss, Pamela <pmoss@eaest.com>

Subject: RE: Wilcox - additional sample analysis requested

Hi Pam,

Sure we can report the TCL list for VOCs and SVOCs. I have attached the TCL 3.2 compound lists for your reference. We will report the RCRA metals including mercury as well for WLC06 and WLC07.

Thank you, Angela

From: Moss, Pamela [mailto:pmoss@eaest.com]

Sent: Wednesday, May 31, 2017 3:52 PM

To: Angela Miller

Subject: RE: Wilcox - additional sample analysis requested

Hi Angela,

We need the full VOC and SVOC lists. Can you use the CLP TCL list for VOCs and SVOCs. We also need the RCRA metals inc. mercury. thx.

From: Angela Miller [mailto:AngelaMiller@eurofinsUS.com]

Sent: Wednesday, May 31, 2017 1:43 PM **To:** Moss, Pamela pmoss@eaest.com

Subject: RE: Wilcox - additional sample analysis requested

Hi Pam,

Just to clarify, did you want the same list of compounds for the Total analysis on VOCs and SVOCs as what was reported for the TCLP portion? If not do you have a specific compound list that you could pass along to me?

Thank you, Angela

Angela Miller Project Manager

Eurofins Lancaster Laboratories Environmental, LLC 2425 New Holland Pike Lancaster, PA 17601

Phone: 717-556-7260 Fax: 717-656-6766



Sample Administration Receipt Documentation Log

Doc Log ID: 181849

Group Number(s): 1807464

No

Client: EA

Page 1 of 1

Delivery and Receipt Information

Delivery Method: Fed Ex Arrival Timestamp: 04/26/2017 9:40

Number of Packages: <u>3</u> Number of Projects: <u>1</u>

Arrival Condition Summary

Shipping Container Sealed: Yes Sample IDs on COC match Containers: Yes **Custody Seal Present:** Yes Sample Date/Times match COC: Yes **Custody Seal Intact:** Yes VOA Vial Headspace ≥ 6mm: N/A 0 Samples Chilled: Yes Total Trip Blank Qty:

Paperwork Enclosed: Yes Air Quality Samples Present:

Samples Intact: Yes

Missing Samples: No Extra Samples: No

Discrepancy in Container Qty on COC: No

Unpacked by Timothy Cubberley (6520) at 11:49 on 04/26/2017

Samples Chilled Details

Thermometer Types: DT = Digital (Temp. Bottle) IR = Infrared (Surface Temp) All Temperatures in °C.

Cooler#	Thermometer ID	Corrected Temp	Therm. Type	Ice Type	Ice Present?	Ice Container	Elevated Temp?
1	DT131	0.8	DT	Wet	Υ	Bagged	N
2	DT131	0.8	DT	Wet	Υ	Bagged	N
3	DT131	0.4	DT	Wet	Υ	Bagged	N



Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

BMQL Below Minimum Quantitation Level mq milligram(s) degrees Celsius mĹ milliliter(s) cfu colony forming units MPN Most Probable Number **CP Units** cobalt-chloroplatinate units N.D. none detected F degrees Fahrenheit ng nanogram(s) nephelometric turbidity units gram(s) NTU g IÚ International Units pg/L picogram/liter kilogram(s) RLReporting Limit kg **TNTC** liter(s) Too Numerous To Count lb. pound(s) microgram(s) μg μĹ microliter(s) m3 cubic meter(s) milliequivalents umhos/cm micromhos/cm meg

< less than

> greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an

as-received basis.

Laboratory Data Qualifiers:

C - Result confirmed by reanalysis

E - Concentration exceeds the calibration range

J (or G, I, X) - estimated value ≥ the Method Detection Limit (MDL or DL) and < the Limit of Quantitation (LOQ or RL)

P - Concentration difference between the primary and confirmation column >40%. The lower result is reported.

U - Analyte was not detected at the value indicated

V - Concentration difference between the primary and confirmation column >100%. The reporting limit is raised due to this disparity and evident interference...

W - The dissolved oxygen uptake for the unseeded blank is greater than 0.20 mg/L.

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods. Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.